

## SEARCH REQUEST FORM 270573

Requester's Full Name: Cecilia Jaisle Examiner #:  Date: 8-26-08  
 Art Unit: 1634 Phone Number: 2-9731 Serial Number: 10597005  
 Location (Bldg/Room#): RFM/428 (Mailbox #): 5218 Results Format Preferred (check): PAPER  DIS

To ensure an efficient and quality search, please attach a copy of the cover sheet, claims, and abstract or fill out the following:

Title of Invention: See Bib Dotta Sheet M9

Inventors (please provide full names):

Earliest Priority Date:

## Search Topics:

Please provide a detailed description of the subject matter and inventions (specify to the extent possible) to be searched. Include selected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc., if known.

\*For Sequence Searches Only\* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

See claims attached. Please do structure search and inventor name(s) search. Display results to show identification of source, and RM#, compound name & structure of identified compounds. Search compounds of Formula I where HET is 1,2,3,4-tetrahydron-5-one. See compounds 1.11 to 1.13, 1.27 to 1.29, 1.43 to 1.45 and 1.58 in spec.

Please call with any questions

## STAFF USE ONLY

## Type of Search

## Vendors and cost where applicable

Searcher:	NA Sequence (II)	STN	Dialog
Searcher Phone #:	AA Sequence (II)	Questel/Orbit	Lexis/Nexis
Searcher Location:	Structure (II)	Westview	WWW/Internet
Date Searcher Picked Up:	Biological	In-house sequence systems	
Date Completed:	Utilization	Commercial	Screen/Left Side
Searcher Prep & Review Time:	Patent	Officer	Endorse/Print
Office Time:	Other	Other (Specify)	

## INVENTOR SEARCH

=> fil cap1; d que nos 116  
FILE 'CAPLUS' ENTERED AT 12:05:25 ON 29 AUG 2008  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 29 Aug 2008 VOL 149 ISS 10  
FILE LAST UPDATED: 28 Aug 2008 (20080828/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>  
'OBJ' IS DEFAULT SEARCH FIELD FOR 'CAPLUS' FILE

```

L1      1 SEA FILE=CAPLUS ABB=ON US2007-597005/AP
L5      STR
L9      167 SEA FILE=REGISTRY SSS FUL L5
L11     8 SEA FILE=CAPLUS ABB=ON L9
L12     3986 SEA FILE=CAPLUS ABB=ON HALL R?/AU
L13     73 SEA FILE=CAPLUS ABB=ON TRAH S?/AU
L14     27 SEA FILE=CAPLUS ABB=ON ZAMBACH W?/AU
L15     24 SEA FILE=CAPLUS ABB=ON TULEJA J?/AU
L16     6 SEA FILE=CAPLUS ABB=ON (L1 OR L12 OR L13 OR L14 OR L15) AND
L11

```



=> d ibib abs hitstr 116 1-6

```

L16 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:673280 CAPLUS Full-text
DOCUMENT NUMBER: 143:172877
TITLE: Preparation of various heterocyclic allyl derivatives
as pesticides
INVENTOR(S): Hall, Roger Graham; Trah, Stephan;
Zambach, Werner; Tuleja, Juraj
PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.
SOURCE: PCT Int. Appl., 34 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

```

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005068445	A2	20050728	WO 2005-EP94	20050107
WO 2005068445	A3	20050922		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1706392	A2	20061004	EP 2005-706845	20050107
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
JP 2007519639	T	20070719	JP 2006-548230	20050107
US 20070299064	A1	20071227	US 2007-597005	20070807 <--
PRIORITY APPLN. INFO.:			CH 2004-23	A 20040108
			WO 2005-EP94	W 20050107
OTHER SOURCE(S): GI		CASREACT 143:172877; MARPAT 143:172877		



AB Title compds. I [Het = non-aromatic heterocyclyl; A1-3 = alkylene, cycloalkyl, etc.; A4 = alkylene bridge; D = CH, N; W = O, amino, SOO-2; etc.; T = bond, O, NH, etc.; Q = O, amino, SOO-2; Y = O, amino, SOO-2; X1-2 = F, Cl, Br; R1-2 = H, halo, CN, NO2, alkyl, haloalkyl, etc.; R3 = halo, CN, NO2, etc.; R4 = halo, CN, NO2, etc.; n = 0-3 when D = N or is 0-4 when D = CH; m = 0-2] are prepared. For instance, II is prepared in several steps from 4-methoxyphenylhydrazine•HCl, pivaloyl chloride and 4-(3-bromopropan-1-yloxy)-3,5-dichloro-1-(3,3-dichloroprop-2-enyloxy)benzene. II shows good activity against *Heliothis virescens*.

IT 1044037-41-3 1044037-44-6 1044037-45-7  
1044037-46-8 1044037-49-1 1044037-52-6  
1044037-53-7 1044037-54-8 1044037-57-1  
1044037-60-6 1044037-61-7 1044037-62-8


1044037-65-1 1044037-68-4 1044037-69-5  
 1044037-70-8 1044037-73-1 1044037-76-4  
 1044037-77-5 1044037-78-6 1044037-81-1  
 1044037-84-4 1044037-85-5 1044037-86-6  
 1044037-89-9 1044037-92-4 1044037-93-5  
 1044037-94-6 1044037-98-0 1044038-00-7  
 1044038-01-3 1044038-02-9 1044038-07-4  
 1044038-08-5 1044038-09-6 1044038-11-0  
 1044038-13-2 1044038-14-3

RL: PRPH (Prophetic)

(Preparation of various heterocyclic allyl derivatives as pesticides)


RN 1044037-41-3 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(1,1-dimethylethyl)-2,4-dihydro-4-methyl-  
 (CA INDEX NAME)




RN 1044037-44-6 CAPLUS

CN INDEX NAME NOT YET ASSIGNED




RN 1044037-45-7 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-4-(difluoromethyl)-5-(1,1-dimethylethyl)-2,4-dihydro-  
 (CA INDEX NAME)




RN 1044037-46-8 CAPLUS

CN 3(2H)-Pyridazinone, 4,5-dichloro-2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 1044037-49-1 CAPLUS

CN 2(1H)-Pyrazinone, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-1-methyl-6-(trifluoromethyl)- (CA INDEX NAME)




RN 1044037-52-6 CAPLUS

CN 4(3H)-Pyrimidinone, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2,3-dimethyl- (CA INDEX NAME)




RN 1044037-53-7 CAPLUS

CN INDEX NAME NOT YET ASSIGNED




RN 1044037-54-8 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-5-(1-methylethyl)- (CA INDEX NAME)




RN 1044037-57-1 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-5-(trifluoromethyl)- (CA INDEX NAME)




RN 1044037-60-6 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-5-(1,1-dimethylethyl)- (CA INDEX NAME)




RN 1044037-61-7 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 2-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-2,4-dihydro-5-methyl-4-(1-methylethyl)- (CA INDEX NAME)




RN 1044037-62-8 CAPLUS


CN 1,3,4-Oxadiazol-2(3H)-one, 3-[2,6-dichloro-4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-5-(1,1-dimethylethyl)- (CA INDEX NAME)




RN 1044037-65-1 CAPLUS  
 CN 3H-1,2,4-Triazol-3-one, 2-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-4-(difluoromethyl)-2,4-dihydro-5-methyl- (CA INDEX NAME)




RN 1044037-68-4 CAPLUS  
 CN 3H-1,2,4-Triazol-3-one, 2-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-5-(1,1-dimethylethyl)-2,4-dihydro-4-methyl- (CA INDEX NAME)



RN 1044037-69-5 CAPLUS  
 CN 3H-1,2,4-Triazol-3-one, 2-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-5-(1,1-dimethylethyl)-2,4-dihydro-4-(1-methylethyl)- (CA INDEX NAME)




RN 1044037-70-8 CAPLUS  
 CN 3H-1,2,4-Triazol-3-one, 2-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-4-(difluoromethyl)-5-(1,1-dimethylethyl)-2,4-dihydro- (CA INDEX NAME)




RN 1044037-73-1 CAPLUS

CN 5H-Tetrazol-5-one, 1-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-1,4-dihydro-4-methyl- (CA INDEX NAME)




RN 1044037-76-4 CAPLUS

CN 5H-Tetrazol-5-one, 1-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-4-ethyl-1,4-dihydro- (CA INDEX NAME)




RN 1044037-77-5 CAPLUS

CN 5H-Tetrazol-5-one, 1-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-1,4-dihydro-4-(1-methylethyl)- (CA INDEX NAME)




RN 1044037-78-6 CAPLUS

CN 3(2H)-Pyridazinone, 4,5-dichloro-2-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]- (CA INDEX NAME)




RN 1044037-81-1 CAPLUS

CN 2(1H)-Pyrazinone, 3-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-1-methyl-6-(trifluoromethyl)- (CA INDEX NAME)




RN 1044037-84-4 CAPLUS

CN 4(3H)-Pyrimidinone, 5-[4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-2,3-dimethyl- (CA INDEX NAME)




RN 1044037-85-5 CAPLUS

CN INDEX NAME NOT YET ASSIGNED




RN 1044037-86-6 CAPLUS


CN INDEX NAME NOT YET ASSIGNED




RN 1044037-89-9 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044037-92-4 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044037-93-5 CAPLUS  
 CN 1,3,4-Oxadiazol-2(3H)-one, 3-[2,6-dichloro-4-[4-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]butoxy]phenyl]-5-(1,1-dimethylethyl)-  
 (CA INDEX NAME)




RN 1044037-94-6 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044037-98-0 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-00-7 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-01-8 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-02-9 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-07-4 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-08-5 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-09-6 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED




RN 1044038-11-0 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED



RN 1044038-13-2 CAPLUS  
 CN INDEX NAME NOT YET ASSIGNED



RN 1044038-14-3 CAPLUS  
 CN 3H-1,2,4-Triazol-3-one, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(1,1-dimethylethyl)-2,4-dihydro-4-(1-methylethyl)- (CA INDEX NAME)




IT 860629-18-1P 860629-19-2P 860629-20-5P  
 860629-21-6P 860629-22-7P 860629-23-8P  
 860629-24-9P 860629-25-0P 860629-26-1P  
 860629-27-2P 860629-28-3P 860629-29-4P  
 860629-30-7P 860629-31-8P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation of various heterocyclic allyl derivs. as pesticides)

RN 860629-18-1 CAPLUS  
 CN 1,3,4-Thiadiazol-2(3H)-one, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-methyl- (CA INDEX NAME)




RN 860629-19-2 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(1-methylethyl)- (CA INDEX NAME)




RN 860629-20-5 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(trifluoromethyl)- (CA INDEX NAME)




RN 860629-21-6 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(1,1-dimethylethyl)- (CA INDEX NAME)




RN 860629-22-7 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 3-[2,6-dichloro-4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(1,1-dimethylethyl)- (CA INDEX NAME)




RN 860629-23-8 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2,4-dihydro-5-methyl-4-(1-methylethyl)-(CA INDEX NAME)




RN 860629-24-9 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-4-(difluoromethyl)-2,4-dihydro-5-methyl-(CA INDEX NAME)




RN 860629-25-0 CAPLUS

CN 5H-Tetrazol-5-one, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-1,4-dihydro-4-methyl- (CA INDEX NAME)




RN 860629-26-1 CAPLUS

CN 5H-Tetrazol-5-one, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-4-ethyl-1,4-dihydro- (CA INDEX NAME)




RN 860629-27-2 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(1,1-dimethylethyl)-2,4-dihydro-4-(2-propyn-1-yl)- (CA INDEX NAME)




RN 860629-28-3 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-ethyl- (CA INDEX NAME)




RN 860629-29-4 CAPLUS

CN 1,3,4-Oxadiazol-2(3H)-one, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(1-methylethyl)- (CA INDEX NAME)



RN 860629-30-7 CAPLUS


CN 5H-Tetrazol-5-one, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-4-(difluoromethyl)-1,4-dihydro- (CA INDEX NAME)




RN 860629-31-8 CAPLUS

CN 2,4-Imidazolidinedione, 1-[[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]methyl]-3-ethyl- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



L16 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:182604 CAPLUS Full-text

DOCUMENT NUMBER: 142:280219

TITLE: Preparation of (3,3-dihaloallyloxy)phenol derivatives as pesticides

INVENTOR(S): Zambach, Werner; Trah, Stephan; Hall, Roger Graham; Lutz, William

PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.

SOURCE: PCT Int. Appl., 69 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005019147	A2	20050303	WO 2004-EP9500	20040825
WO 2005019147	A3	20050407		




W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,

CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW  
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1659863 A2 20060531 EP 2004-764476 20040825  
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK  
JP 2007503416 T 20070222 JP 2006-524326 20040825  
US 20070142229 A1 20070621 US 2006-568993 20061113  
PRIORITY APPLN. INFO.: CH 2003-1454 A 20030826  
WO 2004-EP9500 W 20040825

OTHER SOURCE(S): MARPAT 142:280219

GI



AB There are described compds. of formula (I) [wherein X1, X2 = independently F, Cl or Br; A1, A2 = a bond, (un)substituted C1-6 alkylene bridge; A3 = (un)substituted C1-6 alkylene bridge; R1, R2 halogen, OH, SH, cyano, NO2, C1-6 alkyl, C1-6 haloalkyl, C1-6 alkyl-carbonyl, C2-6 alkenyl, C2-6 haloalkenyl, C2-6 alkynyl, etc.; R3 = H, halogen, OH, SH, cyano, NO2, C1-6 alkyl, C1-6 haloalkyl, etc.; R4, R5 = H, halogen, cyano, NO2, C1-6 alkyl, C1-3 haloalkyl, etc. ; m = 1 or 2; Q, Y = O, S, SO, SO2, (un)substituted NH; W, T = a bond, O, S, SO, SO2, C(O)O, OC(O), each (un)substituted NH, CH:N-O, CONH, or NHCO; E = (un)substituted aryl or heterocyclyl] where applicable, their possible E/Z isomers, E/Z isomeric mixts. and/or tautomers, in each case in free form or in salt form. Pesticidal compns. in which the active ingredient has been selected from those compds. I and agrochem. acceptable salts thereof are also described. Thus, 74 mg 3,3-dichloro-2-(4-trifluoromethylphenyl)acrylic acid, 67 mg of bis(2-oxo-3-oxazolidinyl)phosphinic acid chloride, 53 mg Et3N, and 100 mg [3-[2,6-dichloro-4-(3,3-dichloroallyloxy)phenoxy]propyl]amine were

stirred in 2 mL CH<sub>2</sub>Cl<sub>2</sub> for 48 h at 40° to give, after workup and silica gel chromatog., 3,3-dichloro-N-[3-[2,6-dichloro-4-(3,3-dichloroallyloxy)phenoxy]propyl]-2-(4-trifluoromethylphenyl)acrylamide (II; R = Q1). II (R = Q1) and II (R = Q2) at 400 ppm with aqueous emulsion spray killed 80% *Heliothis virescens* caterpillars on young soybean plants.

IT 847343-56-0P 847343-57-1P 847343-58-2P

847343-59-3P 847343-60-6P 847343-73-1P

847343-74-2P 847343-75-3P 847343-76-4P

847343-79-7P 847343-80-0P 847343-81-1P

847343-82-2P 847343-86-6P 847343-88-8P

847343-91-3P 847343-92-4P 847344-10-9P

847344-13-2P 847344-14-3P 847344-15-4P

847344-16-5P 847344-17-6P 847344-18-7P

847344-23-4P 847344-27-8P 847344-29-0P


RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of (dihaloallyloxy)phenol derivs. as pesticides)


RN 847343-56-0 CAPLUS

CN Methanone, [4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-3-thienyl- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A




RN 847343-57-1 CAPLUS


CN Methanone, [4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-

yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-3-thienyl-, 0-methyloxime  
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847343-58-2 CAPLUS

CN Methanone, [4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-3-isoxazolyl- (CA INDEX NAME)




RN 847343-59-3 CAPLUS

CN Methanone, [4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-3-isoxazolyl-1, O-ethyloxime (CA INDEX NAME)




RN 847343-60-6 CAPLUS

CN Methanone, [4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-3-isoxazolyl-, O-methyloxime (CA INDEX NAME)



RN 847343-73-1 CAPLUS


CN 5H-Tetrazol-5-one, 1-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-4-ethyl-1,4-dihydro- (CA INDEX NAME)




RN 847343-74-2 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-2-ethyl-2,4-dihydro- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847343-75-3 CAPLUS

CN 3H-1,2,4-Triazol-3-one, 4-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-2,4-dihydro-2-(1-methylethyl)- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847343-76-4 CAPLUS

CN Isoxazole, 5-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-  
y1)oxy]phenoxy]methyl]-2-propen-1-y1]oxy]phenyl]-3-methyl- (CA INDEX  
NAME)

PAGE 1-A




PAGE 2-A




RN 847343-79-7 CAPLUS


CN 1,3,4-Oxadiazol-2(3H)-one, 5-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-3-(1,1-dimethylethyl)- (CA INDEX NAME)




RN 847343-80-0 CAPLUS  
 CN 1H-1,2,4-Triazole, 3-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-5-(ethylthio)-1-methyl- (CA INDEX NAME)




RN 847343-81-1 CAPLUS  
 CN 1H-1,2,4-Triazole, 3-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-1-methyl-5-(methylthio)- (CA INDEX NAME)



RN 847343-82-2 CAPLUS  
 CN 5H-Tetrazol-5-one, 1-[4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]-4-(difluoromethyl)-1,4-dihydro- (CA INDEX NAME)




RN 847343-86-6 CAPLUS  
 CN 1H-Pyrazole, 5-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-1-methyl-3-phenyl- (CA INDEX NAME)




RN 847343-88-8 CAPLUS

CN Pyridine, 5-chloro-2-[5-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-1-methyl-1H-pyrazol-3-yl]-3-fluoro- (CA INDEX NAME)




RN 847343-91-3 CAPLUS

CN 1H-Pyrazole, 1-(3-chlorophenyl)-3-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-5-methyl- (CA INDEX NAME)




RN 847343-92-4 CAPLUS

CN Pyrimidine, 4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-6-methyl-2-phenyl- (CA INDEX NAME)




RN 847344-10-9 CAPLUS

CN 1H-Tetrazole, 5-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]thio]-1-phenyl- (CA INDEX NAME)




RN 847344-13-2 CAPLUS

CN 1H-Pyrazole, 1-(3-bromophenyl)-3-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]- (CA INDEX NAME)




RN 847344-14-3 CAPLUS

CN 1H-Pyrazole, 1-(4-chlorophenyl)-3-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]- (CA INDEX NAME)



RN 847344-15-4 CAPLUS


CN 1H-Pyrazole, 1-(3-bromophenyl)-3-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-5-methyl- (CA INDEX NAME)




RN 847344-16-5 CAPLUS

CN 1H-Pyrazole, 1-(5-chloro-2-methylphenyl)-4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847344-17-6 CAPI

CN 1H-Pyrazole, 4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-1-(2,3-dichlorophenyl)- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847344-18-7 CAPLUS

CN 1H-Pyrazole, 4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]-1-[3-(trifluoromethyl)phenyl]- (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 847344-23-4 CAPLUS

CN Morpholine, 4-[[2-[[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]methyl]-2-propen-1-yl]oxy]phenyl]- (CA INDEX NAME)




RN 847344-27-8 CAPLUS

CN 1,3,4-Oxadiazole, 2-[(2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy)methyl]-2-propen-1-yl]thio]-5-(3-fluorophenyl)- (CA INDEX NAME)



RN 847344-29-0 CAPLUS

CN 1,3,4-Oxadiazole, 2-[(4-chlorophenyl)methyl]-5-[(2-[(2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy)methyl]-2-propen-1-yl)thio]- (CA INDEX NAME)



L16 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:1154652 CAPLUS Full-text

DOCUMENT NUMBER: 142:93516

TITLE: Preparation of pesticidally active ketone and oxime derivatives

INVENTOR(S): Zambach, Werner; Hall, Roger Graham  
; Renold, Peter; Trah, Stephan

PATENT ASSIGNEE(S): Syngenta Participations AG, Switz.

SOURCE: PCT Int. Appl., 83 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent



LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004113273	A1	20041229	WO 2004-EP6749	20040622
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1638924	A1	20060329	EP 2004-740174	20040622
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
JP 2008529962	T	20080807	JP 2006-516029	20040622
US 20060128670	A1	20060615	US 2005-560292	20051212
US 20080200525	A1	20080821	US 2008-98594	20080407
PRIORITY APPLN. INFO.:			CH 2003-1096	A 20030623
			WO 2004-EP6749	W 20040622
			US 2005-560292	A1 20051212

OTHER SOURCE(S): MARPAT 142:93516  
GI



AB The title compds. I [A0-A3 = (un)substituted alkylene; Y = O, S, SO, SO<sub>2</sub>, (un)substituted NH; M = O, NOR<sub>6</sub>; X<sub>1</sub>, X<sub>2</sub> = F, Cl, Br; R<sub>1</sub>-R<sub>3</sub> = H, halo, OH, SH, CN, NO<sub>2</sub>, alkyl, haloalkyl, alkylcarbonyl, alkenyl, haloalkenyl, alkynyl, etc.; Q = O, S, SO, SO<sub>2</sub>, (un)substituted NH; W = O, S, SO, SO<sub>2</sub>, CO<sub>2</sub>, etc.; T = a bond, O, S, SO, SO<sub>2</sub>, CO<sub>2</sub>, etc.; D = CH, N; R<sub>4</sub> = H, halo, OH, SH, CN, NO<sub>2</sub>, alkyl, haloalkyl, etc.; R<sub>5</sub> = alkyl, cycloalkyl, (un)substituted NH<sub>2</sub>, etc.; R<sub>6</sub> = H, alkyl, cycloalkyl, etc.; k = 0-4; m = 1-2], were prepared E.g., a multi-step synthesis of II, starting from 2-bromo-1-(4-hydroxyphenyl)ethanone, which was more than 80% effective against *Heliothis virescens*, *Plutella xylostella*, and *Spodoptera littoralis*, was given. The invention also relates to pesticidal compns. in which the active ingredient has been selected from the compds. I and agrochem. acceptable salts thereof, and a process for the preparation of those compns. and their use, to plant propagation material treated with those compns., and a method of controlling pests.


IT 818375-48-3P 818375-49-4P 818375-50-7P  
 818375-59-6P 818375-60-9P 818375-61-0P  
 818375-62-1P 818375-63-2P 818375-64-3P  
 818375-65-4P 818375-66-5P 818375-74-5P  
 818375-75-6P 818375-76-7P 818375-77-8P  
 818375-78-9P 818375-79-0P 818375-80-3P  
 818375-81-4P 818375-82-5P 818375-83-6P  
 818375-84-7P 818375-85-8P 818375-86-9P  
 818375-87-0P 818375-88-1P 818375-89-2P  
 818375-90-5P 818375-91-6P 818375-92-7P  
 818375-93-8P 818375-94-9P 818376-11-3P  
 818376-12-4P 818376-13-5P 818376-14-6P  
 818376-15-7P 818376-16-8P 818376-17-9P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pesticidally active ketone and oxime derivs.)


RN 818375-48-3 CAPLUS

CN Methanone, 2-benzofuranyl[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-49-4 CAPLUS

CN Methanone, benzo[b]thien-2-yl[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-50-7 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-thienyl-, O-methyloxime (CA INDEX NAME)




RN 818375-59-6 CAPLUS


CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-thienyl-, O-methyloxime (CA INDEX NAME)




RN 818375-60-9 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-thienyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-61-0 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-isoxazolyl-, O-methyloxime (CA INDEX NAME)




RN 818375-62-1 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-isoxazolyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-63-2 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl](4-methyl-3-isoxazolyl)-, O-methyloxime (CA INDEX NAME)




RN 818375-64-3 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl](4-methyl-3-isoxazolyl)-, O-ethyloxime (CA INDEX NAME)




RN 818375-65-4 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-pyridinyl-, O-methyloxime (CA INDEX NAME)




RN 818375-66-5 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-pyridinyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-74-5 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-thiazolyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-75-6 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-furanyl-, O-methyloxime (CA INDEX NAME)




RN 818375-76-7 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-furanyl-, O-ethyloxime (CA INDEX NAME)



RN 818375-77-8 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-furanyl-, O-2-propen-1-yloxime (CA INDEX NAME)




RN 818375-78-9 CAPLUS  
 CN Methanone, (5-bromo-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-79-0 CAPLUS

CN Methanone, (5-bromo-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-ethyloxime (CA INDEX NAME)




RN 818375-80-3 CAPLUS

CN Methanone, (6-bromo-3-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-81-4 CAPLUS

CN Methanone, (6-bromo-3-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-ethyloxime (CA INDEX NAME)




RN 818375-82-5 CAPLUS


CN Methanone, (6-bromo-2-pyridinyl)[3-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-83-6 CAPLUS  
 CN Methanone, (6-bromo-2-pyridinyl)[3-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-84-7 CAPLUS  
 CN Methanone, [3-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-isoxazolyl-, O-methyloxime (CA INDEX NAME)




RN 818375-85-8 CAPLUS  
 CN Methanone, [3-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-isoxazolyl-, O-ethyloxime (CA INDEX NAME)



RN 818375-86-9 CAPLUS  
 CN Methanone, (5-chloro-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl-, O-methyloxime (CA INDEX NAME)




RN 818375-87-0 CAPLUS  
 CN Methanone, (5-chloro-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-88-1 CAPLUS

CN Methanone, (6-bromo-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-89-2 CAPLUS

CN Methanone, (6-bromo-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-, O-ethyloxime (CA INDEX NAME)




RN 818375-90-5 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl][5-(trifluoromethyl)-2-pyridinyl]-, O-methyloxime (CA INDEX NAME)




RN 818375-91-6 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl][5-(trifluoromethyl)-2-pyridinyl]-, O-ethyloxime (CA INDEX NAME)




RN 818375-92-7 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-6-methoxy-3-pyridinyl-, O-methyloxime (CA INDEX NAME)




RN 818375-93-8 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-6-methoxy-3-pyridinyl-, O-ethyloxime (CA INDEX NAME)




RN 818375-94-9 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-isoxazolyl-, O-2-propen-1-ylloxime (CA INDEX NAME)




RN 818376-11-3 CAPLUS


CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-isoxazolyl- (CA INDEX NAME)




RN 818376-12-4 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-thienyl- (CA INDEX NAME)




RN 818376-13-5 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-pyridinyl- (CA INDEX NAME)




RN 818376-14-6 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-thiazolyl- (CA INDEX NAME)




RN 818376-15-7 CAPLUS  
 CN Methanone, (5-bromo-2-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl- (CA INDEX NAME)



RN 818376-16-8 CAPLUS  
 CN Methanone, (6-bromo-3-pyridinyl)[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)



RN 818376-17-9 CAPLUS  
 CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl](6-methoxy-3-pyridinyl)- (CA INDEX NAME)





REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L16 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 2004:513651 CAPLUS Full-text  
 DOCUMENT NUMBER: 141:71344  
 TITLE: Preparation of dihalo-allyloxy-phenol derivatives having pesticidal activity  
 INVENTOR(S): Zambach, Werner; Renold, Peter; Hall, Roger Graham; Trah, Stephan  
 PATENT ASSIGNEE(S): Syngenta Participations Ag, Switz.  
 SOURCE: PCT Int. Appl., 70 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004052816	A1	20040624	WO 2003-EP14009	20031210
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003288248	A1	20040630	AU 2003-288248	20031210

EP 1572612	A1	20050914	EP 2003-780146	20031210
EP 1572612	B1	20071031		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006509794	T	20060323	JP 2004-558059	20031210
AT 376988	T	20071115	AT 2003-780146	20031210
ES 2291718	T3	20080301	ES 2003-780146	20031210
US 20060014806	A1	20060119	US 2005-537444	20050602
PRIORITY APPLN. INFO.:				
			CH 2002-2104	A 20021211
			WO 2003-EP14009	W 20031210

OTHER SOURCE(S): MARPAT 141:71344  
GI



AB The title compds. [I; A1, A2 = a bond, alkylene; A3 = alkylene; X1, X2 = F, Cl, Br; Y = O, NR7, S, SO, SO2; R1-R3 = H, halo, OH, SH, CN, NO2, alkyl, haloalkyl, alkylcarbonyl, alkenyl; Q = O, NR5, S, SO, SO2; W = O, NR5, SO, etc.; T = a bond, O, NR5, etc.; D is CH or N; R4 = H, halogen, OH, SH, CN, NO2, etc.; R5, R7 = H, alkyl, haloalkyl, etc.; k = 1-4; m = 1-2; R10 = radical which contains O, N or S; R11 = H, alkyl or a radical which contains from 1-3 hetero atoms selected from O, N and S; or R11 together with R12 is a bond; R12 = H, alkyl, haloalkyl, alkoxyalkyl, etc.] useful for controlling pests, were prepared. Thus, reacting cyanomethanephosphoric acid di-Et ester with 4-[3-[2,6-dichloro-4-(3,3-dichloroallyloxy)phenoxy]propoxy]benzaldehyde afforded II which was more than 80% effective against *Heliothis virescens* caterpillars, *Plutella xylostella* caterpillars, and *Spodoptera littoralis*.


IT 711012-98-5P 711012-99-6P 711013-00-2P  
711013-01-3P 711013-02-4P 711013-03-5P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of dihalo-allyloxy-phenol derivs. having pesticidal activity)


RN 711012-98-5 CAPLUS

CN 2-Propenenitrile, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(3-isoxazolyl)- (CA INDEX NAME)




RN 711012-99-6 CAPLUS

CN 2-Propenenitrile, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(4-methyl-3-isoxazolyl)- (CA INDEX NAME)




RN 711013-00-2 CAPLUS

CN 2-Propenenitrile, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(3-thienyl)- (CA INDEX NAME)




RN 711013-01-3 CAPLUS

CN 2-Propenenitrile, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(2-thienyl)- (CA INDEX NAME)




RN 711013-02-4 CAPLUS

CN 2-Propenenitrile, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(2-pyridinyl)- (CA INDEX NAME)



RN 711013-03-5 CAPLUS

CN 2-Propenenitrile, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-3-(2-furanyl)- (CA INDEX NAME)



L16 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:203839 CAPLUS Full-text

DOCUMENT NUMBER: 140:253566

TITLE: Preparation of dihaloallyloxyphenoxypropoxyphenylazoles as pesticides.

INVENTOR(S): Zambach, Werner; Steiger, Arthur; Renold, Peter; Trah, Stephan; Hall, Roger Graham

PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.

SOURCE: PCT Int. Appl., 71 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004020445	A2	20040311	WO 2003-EP9636	20030829
WO 2004020445	A3	20040415		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003266333	A1	20040319	AU 2003-266333	20030829
EP 1537077	A2	20050608	EP 2003-790947	20030829
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				

IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

JP 2006507245 T 20060302 JP 2004-532153 20030829


US 20050288186 A1 20051229 US 2005-525891 20050225

PRIORITY APPLN. INFO.: CH 2002-1487 A 20020830

WO 2003-EP9636 W 20030829

OTHER SOURCE(S): MARPAT 140:253566

GI



AB Title compds. [I; A0-A2 = bond, (substituted) alkylene; A3 = (substituted) alkylene; D = CH, N; X1, X2 = F, Cl, Br; R1-R3 = H, halo, OH, SH, cyano, NO<sub>2</sub>, alkyl, haloalkyl, alkylcarbonyl, alkenyl, haloalkenyl, alkynyl, alkoxy, alkenyloxy, alkynyloxy, alkoxy carbonyl, etc.; R4 = H, halo, OH, SH, cyano, NO<sub>2</sub>, alkyl, haloalkyl, alkylcarbonyl, alkoxy, alkylsulfonyl, alkoxy carbonyl, etc.; W = O, NR<sub>6</sub>, S, SO, SO<sub>2</sub>, CO<sub>2</sub>, etc.; T = bond, O, NH, NR<sub>6</sub>, S, SO, SO<sub>2</sub>, CO<sub>2</sub>, etc.; Q, Y = O, NR<sub>6</sub>, S, SO, SO<sub>2</sub>; R<sub>6</sub> = H, alkyl, haloalkyl, alkylcarbonyl, haloalkylcarbonyl, alkoxyalkyl, cycloalkyl, PhCH<sub>2</sub>; E = (substituted) heteroaryl; m = 1, 2; n = 1-3 when D = N; n = 1-4 when D = CH], were prepared Thus, 5-[4-[3-[2,6-dichloro-4-(3,3-dichloroallyloxy)phenoxy]propoxy]phenyl]-2H-tetrazole (preparation given) was stirred with EtI and K<sub>2</sub>CO<sub>3</sub> in DMF for 4 h at 50° to give 5-[4-[3-[2,6-dichloro-4-(3,3-dichloroallyloxy)phenoxy]propoxy]phenyl]-2H-2-ethyltetrazole. The latter as a 400 ppm spray on cabbage plants was >80% effective against *Heliothis virescens* caterpillars.


IT 669055-61-2P 669055-62-3P 669055-63-4P  
 669055-64-5P 669055-65-6P 669055-66-7P  
 669055-67-8P 669055-68-9P 669055-69-0P  
 669055-70-3P 669055-71-4P 669055-72-5P  
 669055-73-6P 669055-74-7P 669055-75-8P  
 669055-76-9P 669055-77-0P 669055-78-1P  
 669055-79-2P 669055-80-5P 669055-81-6P  
 669055-82-7P 669055-83-8P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of dihaloallyloxyphenoxypropoxyphenylazoles as pesticides)


RN 669055-61-2 CAPLUS

CN 1H-Pyrrole, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-62-3 CAPLUS

CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-63-4 CAPLUS

CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-methyl- (CA INDEX NAME)



RN 669055-64-5 CAPLUS


CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-ethyl- (CA INDEX NAME)



RN 669055-65-6 CAPLUS


CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-

y1)oxy]phenoxy]propoxy]phenyl]-2-propyl- (CA INDEX NAME)



RN 669055-66-7 CAPLUS


CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-(2-methylpropyl)- (CA INDEX NAME)



RN 669055-67-8 CAPLUS

CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-(3-methylbutyl)- (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CCl<sub>2</sub>

RN 669055-68-9 CAPLUS

CN 2H-Tetrazole, 5-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-2-hexyl- (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CCl<sub>2</sub>


RN 669055-69-0 CAPLUS

CN 1H-1,2,4-Triazole, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-70-3 CAPLUS

CN 1,2,4-Oxadiazole, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-methyl- (CA INDEX NAME)




RN 669055-71-4 CAPLUS

CN 1,2,4-Oxadiazole, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-ethyl- (CA INDEX NAME)




RN 669055-72-5 CAPLUS

CN 1,2,4-Oxadiazole, 5-cyclopropyl-3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-73-6 CAPLUS

CN 1,2,4-Oxadiazole, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(trifluoromethyl)- (CA INDEX NAME)




RN 669055-74-7 CAPLUS

CN 1,2,4-Oxadiazole, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-75-8 CAPLUS

CN 1,2,4-Oxadiazol-5(2H)-one, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-76-9 CAPLUS

CN 1,2,4-Oxadiazole, 5-chloro-3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-77-0 CAPLUS

CN Isoxazole, 5-chloro-3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 669055-78-1 CAPLUS

CN 1H-Tetrazole, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(methylthio)- (CA INDEX NAME)




RN 669055-79-2 CAPLUS

CN 1H-Tetrazole, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-(ethylthio)- (CA INDEX NAME)




RN 669055-80-5 CAPLUS


CN 1H-Tetrazole, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-5-[(1-methylethyl)thio]- (CA INDEX NAME)




RN 669055-81-6 CAPLUS  
 CN 1H-Tetrazole, 5-[(cyclopropylmethyl)thio]-1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]phenoxy]phenyl]- (CA INDEX NAME)



RN 669055-82-7 CAPLUS  
 CN 1H-Tetrazole, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]phenoxy]phenyl]-5-(2-propen-1-ylthio)- (CA INDEX NAME)



RN 669055-83-8 CAPLUS  
 CN Thiazole, 2-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]phenoxy]phenyl]-4-methyl- (CA INDEX NAME)



L16 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 2004:20645 CAPLUS Full-text  
 DOCUMENT NUMBER: 140:93783  
 TITLE: Preparation of 1-{4-(3,3-dihaloallyloxy)phenoxy}-3-

INVENTOR(S): phenoxypropanes as pesticides  
 Zambach, Werner; Renold, Peter; Steiger, Arthur; Trab, Stephan; Hall, Roger Graham

PATENT ASSIGNEE(S): Syngenta Participations Ag, Switz.

SOURCE: PCT Int. Appl., 69 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004002943	A1	20040108	WO 2003-EP6846	20030627
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003246623	A1	20040119	AU 2003-246623	20030627
EP 1517881	A1	20050330	EP 2003-761545	20030627
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003012287	A	20050412	BR 2003-12287	20030627
CN 1681771	A	20051012	CN 2003-815304	20030627
JP 2005531621	T	20051020	JP 2004-516728	20030627
MX 2004PA12429	A	20050419	MX 2004-PA12429	20041209
US 20050245583	A1	20051103	US 2004-518888	20041221
US 7192965	B2	20070320		
IN 2004CN02919	A	20060217	IN 2004-CN2919	20041222
US 20070142445	A1	20070621	US 2007-675149	20070215
US 7414064	B2	20080819		
PRIORITY APPLN. INFO.:			CH 2002-1123	A 20020628
			WO 2003-EP6846	W 20030627
			US 2004-518888	A3 20041221

OTHER SOURCE(S): MARPAT 140:93783  
 GI



I



II

AB The title compds. [I; A1-A3 = a bond, alkylene; A4 = alkylene; D = CH, N; W = O, NR<sub>7</sub>, S, etc.; T = a bond, O, NH, NR<sub>7</sub>, etc.; Q = O, NR<sub>7</sub>, S, SO or SO<sub>2</sub>; Y = O, NR<sub>7</sub>, S, SO, or SO<sub>2</sub>; X<sub>1</sub>, X<sub>2</sub> = F, Cl, Br; R<sub>1</sub>-R<sub>3</sub> = H, halo, CN, NO<sub>2</sub>, alkyl, etc.; R<sub>4</sub> = H, halo, CN, NO<sub>2</sub>, alkyl, etc.; R<sub>5</sub>, R<sub>6</sub> = H, CN, OH, alkyl, etc.; R<sub>7</sub> = H, alkyl, alkoxyalkyl, alkylcarbonyl, etc.; k = 1-3 when D = N, or k = 1-4 when D = CH; and m = 1-2], useful for controlling pests, were prepared. Thus, reacting 3-[2,6-dichloro-4-(3,3-dichloroallyloxy)phenoxy]propan-1-ol with tert-Bu (4-hydroxyphenyl)carbamate in the presence of azadicarboxylic acid diisopropyl ester and PPh<sub>3</sub> in THF afforded II which showed to be more than 80% effective against *Heliothis virescens* caterpillars at 400 ppm.


IT 642461-40-3P 642461-41-4P 642461-42-5P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of 1-[4-(3,3-dihaloallyloxy)phenoxy]-3-phenoxypropanes as pesticides)


RN 642461-40-3 CAPLUS

CN 2-Pyrrolidinone, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)




RN 642461-41-4 CAPLUS

CN 2,5-Pyrrolidinedione, 1-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)



RN 642461-42-5 CAPLUS

CN 2-Oxazolidinone, 3-[4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]- (CA INDEX NAME)



REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil reg; d stat que 19  
FILE 'REGISTRY' ENTERED AT 12:05:55 ON 29 AUG 2008  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 28 AUG 2008 HIGHEST RN 1044598-04-0  
DICTIONARY FILE UPDATES: 28 AUG 2008 HIGHEST RN 1044598-04-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

L5 STR



REP G1=(0-5) C  
VAR G2=N/C  
VAR G3=44/27  
VAR G4=O/S/N  
REP G5=(1-6) C  
VAR G6=39/40/42/43/O/N/S  
VPA 28-7/8/12 U  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
MLEVEL IS CLASS AT 33 37  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE  
 L9 167 SEA FILE=REGISTRY SSS FUL L5

100.0% PROCESSED 313299 ITERATIONS  
 SEARCH TIME: 00.00.21

167 ANSWERS

=> d que nos 119  
 L5 STR  
 L9 167 SEA FILE=REGISTRY SSS FUL L5  
 L18 222624 SEA FILE=REGISTRY ABB=ON 16.525/RID =COMPOUNDS CONTAINING  
 TETRAZOLE  
 L19 24 SEA FILE=REGISTRY ABB=ON L9 AND L18

=> fil capl; s 119  
 FILE 'CAPLUS' ENTERED AT 12:06:04 ON 29 AUG 2008  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 29 Aug 2008 VOL 149 ISS 10  
 FILE LAST UPDATED: 28 Aug 2008 (20080828/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>  
 'OBI' IS DEFAULT SEARCH FIELD FOR 'CAPLUS' FILE

L20 3 L19

=> s 120 not 116  
 L21 0 L20 NOT L16 ALL REFERENCES CONTAINING RNS FOR TETRAZOLE-  
 CONTAINING HITS WERE PRINTED IN THE INVENTOP SEARCH ANSWER SET; TITLES FOR THESE  
 ARE GIVEN BELOW

=> d scan ti 120

L20 3 ANSWERS CAPLUS COPYRIGHT 2008 ACS on STN  
 TI Preparation of (3,3-dihaloallyloxy)phenol derivatives as pesticides

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):3

L20 3 ANSWERS CAPLUS COPYRIGHT 2008 ACS on STN  
 TI Preparation of various heterocyclic allyl derivatives as pesticides

L20 3 ANSWERS CAPLUS COPYRIGHT 2008 ACS on STN  
 TI Preparation of dihaloallyloxyphenoxypropoxyphenylazoles as pesticides.

ALL ANSWERS HAVE BEEN SCANNED

=> d que nos l11; s l11 not l16

L5 STR  
 L9 167 SEA FILE=REGISTRY SSS FUL L5  
 L11 8 SEA FILE=CAPLUS ABB=ON L9

L22 2 L11 NOT L16 UNIQUE REFERENCES IN WHICH 'HET'=ANY HETEROCYCLE

=> d ibib abs hitstr l22 1-2; fil hom

L22 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 2004:964833 CAPLUS Full-text  
 DOCUMENT NUMBER: 141:410815  
 TITLE: Preparation of (dihalopropenyl) phenylalkyl substituted dihydrobenzofuran and dihydrobenzopyran derivatives as insecticides  
 INVENTOR(S): Theodoridis, George; Barron, Edward J.; Suarez, Dominic P.; Zhang, Y. Larry; Ding, Ping; Roush, David M.; Donovan, Stephen F.; Zawacki, Frank J.; Yeager, Walter H.; Lyga, John W.; Cohen, Daniel H.  
 PATENT ASSIGNEE(S): Fmc Corporation, USA  
 SOURCE: U.S. Pat. Appl. Publ., 28 pp.  
 CODEN: USXXCO  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20040224994	A1	20041111	US 2004-832624	20040427
US 6987194	B2	20060117		
AU 2004236195	A1	20041118	AU 2004-236195	20040427
AU 2004237745	A1	20041118	AU 2004-237745	20040427
CA 2523085	A1	20041118	CA 2004-2523085	20040427
CA 2523191	A1	20041118	CA 2004-2523191	20040427
WO 2004098283	A2	20041118	WO 2004-US12886	20040427
WO 2004098283	A3	20050407		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

WO 2004099145	A2	20041118	WO 2004-US12890	20040427
WO 2004099145	A3	20050120		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1620421	A2	20060201	EP 2004-760587	20040427
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
EP 1620401	A2	20060201	EP 2004-760588	20040427
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
BR 2004009684	A	20060418	BR 2004-9684	20040427
BR 2004009685	A	20060418	BR 2004-9685	20040427
CN 1780818	A	20060531	CN 2004-80011453	20040427
CN 1780825	A	20060531	CN 2004-80011454	20040427
CN 100381431	C	20080416		
JP 2006525335	T	20061109	JP 2006-513350	20040427
JP 2006525336	T	20061109	JP 2006-513352	20040427
AU 2004236201	A1	20041118	AU 2004-236201	20040428
AU 2004237752	A1	20041118	AU 2004-237752	20040428
CA 2522857	A1	20041118	CA 2004-2522857	20040428
CA 2523231	A1	20041118	CA 2004-2523231	20040428
WO 2004099105	A2	20041118	WO 2004-US13014	20040428
WO 2004099105	A3	20051013		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
WO 2004098284	A2	20041118	WO 2004-US13023	20040428
WO 2004098284	A3	20050310		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1620093	A2	20060201	EP 2004-750769	20040428
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
EP 1622889	A2	20060208	EP 2004-750775	20040428

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK

BR 2004009682	A	20060418	BR 2004-9682	20040428
BR 2004009795	A	20060530	BR 2004-9795	20040428
CN 1780828	A	20060531	CN 2004-80011459	20040428
CN 1780619	A	20060531	CN 2004-80011460	20040428
JP 2006525337	T	20061109	JP 2006-513376	20040428
JP 2006525338	T	20061109	JP 2006-513379	20040428
US 20050171356	A1	20050804	US 2004-510331	20041005
US 7208450	B2	20070424		
IN 2005DN04803	A	20070810	IN 2005-DN4803	20051020
IN 2005DN04804	A	20070817	IN 2005-DN4804	20051020
IN 2005DN04815	A	20070817	IN 2005-DN4815	20051020
IN 2005DN04802	A	20071012	IN 2005-DN4802	20051020
US 20060247283	A1	20061102	US 2005-554347	20051024
US 20060270726	A1	20061130	US 2005-554328	20051024
US 20060094776	A1	20060504	US 2005-292023	20051201
PRIORITY APPLN. INFO.:			US 2003-466674P	P 20030430
			US 2004-832624	A3 20040427
			WO 2004-US12886	W 20040427
			WO 2004-US12890	W 20040427
			WO 2004-US13014	W 20040428
			WO 2004-US13023	W 20040428

OTHER SOURCE(S): MARPAT 141:410815  
GI



AB The title compds. (I) [R, R3 = H, halogen, HO, alkyl, cycloalkyl, alkenyl, alkynyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfonyl, haloalkylsulfonyl, cyano, nitro, each (un)substituted NH<sub>2</sub>, etc.; R1, R2 = H, halogen, alkyl; R4 = H; R5 = halogen; E = CH<sub>2</sub>, O, S, (un)substituted NH; G = O, S, CH<sub>2</sub>O\*, (CH<sub>2</sub>)<sub>n</sub> (where the asterisk denotes attachment to E; n = 1, 2; provided that E and G are not simultaneously O or S); x = 0, 1; when x = 1, A = O, S(O)p and (un)substituted NH (where p = 0, 1, 2); B = (un)substituted \*-(CH<sub>2</sub>)<sub>q</sub>-(CH<sub>2</sub>)<sub>r</sub>-(CH<sub>2</sub>)<sub>s</sub>-Lt-(CH<sub>2</sub>)<sub>u</sub>-(CH<sub>2</sub>)<sub>v</sub>- (CH<sub>2</sub>)<sub>w</sub>- (where the asterisk denotes attachment at A; q, r, s, u, v, w = 0, 1, 2; t = 0, 1; when t = 1, L = CH:CH; O, S(O)p; OS(O)<sub>2</sub>, S(O)<sub>2</sub>O, (un)substituted NH, NH<sub>2</sub>O<sub>2</sub>, or NHCONH; Si(CH<sub>3</sub>)<sub>2</sub>, CO, OC(O), NHCO; ON:CH, etc.); y = 0, 1; when y = 1, D = O, S(O)p, (un)substituted NH (wherein p = 0-2); R6-R9 = H, halogen, alkyl, cycloalkyl, alkenyl, alkynyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfonyl, haloalkylsulfonyl, cyano, nitro, aryl, etc; R10, R11 = independently selected from hydrogen, halogen, hydroxy, alkyl, alkoxy, or R10 and R11 taken together are O forming CO, OCH<sub>2</sub>CH<sub>2</sub>O or SCH<sub>2</sub>CH<sub>2</sub>S forming a ketal or a thioketal group, or (un)substituted NOH forming an oxime; M = each (un)substituted \*CH<sub>2</sub> or \*CH<sub>2</sub>CH<sub>2</sub> (where the asterisk indicates attachment to O)], and agriculturally acceptable salts thereof are prepared. These compds.

provide unexpected insecticidal activity across a spectrum of insect pests combined with desirable phys. properties including improved photostability. In addition, compns. comprising an insecticidally effective amount of at least one compound of formula I and methods of controlling insects by applying said compns. to a locus where insects are present or are expected to be present are also disclosed. Thus, a stirred solution of 0.44 g (0.0011 mol) 4-[4-[(2,2-dimethyl-2,3-dihydrobenzo[2,3-b]furan-7-yl)oxy]butoxy]-3,5-dichlorophenol, 0.3 g (0.0015 mol) 1,1,1,3-tetrachloropropane, and 0.3 g (0.0022 mol) K2CO3 in 25 mL DMF was heated at 80° for apprx.18 h to give, after workup and silica gel chromatog., 0.39 g 5-(3,3-dichloroprop-2-enyloxy)-2-[4-[(2,2-dimethyl-2,3-dihydrobenzo[2,3-b]furan-7-yl)oxy]butoxy]-1,3-dichlorobenzene (II). A wheat germ-based artificial diet containing 0.25 mmol II exhibited 100% mortality and 100% growth inhibition in tobacco budworm [Heliothis virescens (Fabricius)].


IT 791063-71-3P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of (dihalopropenyl) phenylalkyl-substituted dihydrobenzofuran and dihydrobenzopyran derivs. as insecticides)

RN 791063-71-3 CAPLUS

CN Benzofuran, 7-[4-[(2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]butoxy]-2,3-dihydro-2,2-dimethyl-5-phenyl- (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L22 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1997:513623 CAPLUS [Full-text](#)

DOCUMENT NUMBER: 127:190529

ORIGINAL REFERENCE NO.: 127:36949a

TITLE: Dihalopropene compounds, their use as insecticides/acaricides, and intermediates for their production

INVENTOR(S): Ikegami, Hiroshi; Hirose, Taro; Suzuki, Masaya; Izumi, Keiichi; Sakamoto, Noriyasu; Takano, Hirotaka; Takada, Yoji

PATENT ASSIGNEE(S): Sumitomo Chemical Company, Ltd., Japan

SOURCE: PCT Int. Appl., 139 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English



FAMILY ACC. NUM. COUNT: 1

## PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9727173	A2	19970731	WO 1997-JP76	19970117
WO 9727173	A3	19980402		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9713992	A	19970820	AU 1997-13992	19970117
JP 09263572	A	19971007	JP 1997-8040	19970120
IN 1997MA00121	A	20050304	IN 1997-MA121	19970122
ZA 9700559	A	19970730	ZA 1997-559	19970123
PRIORITY APPLN. INFO.:			JP 1996-10424	A 19960124
			WO 1997-JP76	W 19970117

OTHER SOURCE(S): MARPAT 127:190529

GI




AB Dihalopropene compds. I [wherein R, R2, R3 = halo, haloalkyl, alkyl; R4 = H, alkyl; R5, R6 = H, alkyl, CF3; R7 = halo, alkyl, CF3; R8, R9 = H, alk(en/yn)yl, haloalk(en/yn)yl, etc.; Q1 = bond or various C and/or heteroat. linkage groups; Q2 = bond, O, NR14; R14 = H, alkyl; X = Cl, Br; Y = O, NH, S; Z = O, S, NR15; R15 = H, alkyl; n = 0-4; p = 0-6; and q = 0-2], which have excellent insecticidal/acaricidal activity, are disclosed. For instance, etherification of 3,5-dichloro-4-(4-bromobutoxy)-1-(3,3-dichloro-2-propenyl)benzene (preparation given) with 4-(1-piperidinylcarbonyl)phenol using K2CO3 in DMF at room temperature gave title compound II. At 500 ppm in the diet of larval *Spodoptera litura* or *Plutella xylostella*, II gave 80% mortality in 4-6 days. I also gave ≥ 60% mortality of *Tetranychus urticae* upon spray application at 500 ppm.

IT 194224-91-4P 194224-92-5P 194224-93-6P  
 194224-94-7P 194224-95-8P 194224-96-9P  
 194224-97-0P

RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of dihalopropene compds. as insecticides and acaricides)


RN 194224-91-4 CAPLUS

CN Methanone, [4-[2-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]ethoxy]phenyl]-1-piperidinyl- (CA INDEX NAME)




RN 194224-92-5 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-1-piperidinyl- (CA INDEX NAME)




RN 194224-93-6 CAPLUS

CN Methanone, [4-[4-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]butoxy]phenyl]-1-piperidinyl- (CA INDEX NAME)





RN 194224-94-7 CAPLUS

CN Methanone, [3-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-1-piperidinyl- (CA INDEX NAME)




RN 194224-95-8 CAPLUS

CN Methanone, [2-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-1-piperidinyl- (CA INDEX NAME)




RN 194224-96-9 CAPLUS

CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl]-1-pyrrolidinyl- (CA INDEX NAME)



RN 194224-97-0 CAPLUS


CN Methanone, [4-[3-[2,6-dichloro-4-[(3,3-dichloro-2-propen-1-yl)oxy]phenoxy]propoxy]phenyl](2,5-dihydro-1H-pyrrol-1-yl)- (CA INDEX NAME)



FILE 'HOME' ENTERED AT 12:06:58 ON 29 AUG 2008

## SEARCH HISTORY

=> d stat que 19; d his nofile  
 L5 STR



REP G1=(0-5) C  
 VAR G2=N/C  
 VAR G3=44/27  
 VAR G4=O/S/N  
 REP G5=(1-6) C  
 VAR G6=39/40/42/43/O/N/S  
 VPA 28-7/8/12 U  
 NODE ATTRIBUTES:  
 DEFAULT MLEVEL IS ATOM  
 MLEVEL IS CLASS AT 33 37  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RING(S) ARE ISOLATED OR EMBEDDED  
 NUMBER OF NODES IS 32

STEREO ATTRIBUTES: NONE  
 L9 167 SEA FILE=REGISTRY SSS FUL L5

100.0% PROCESSED 313299 ITERATIONS  
 SEARCH TIME: 00.00.21

167 ANSWERS

(FILE 'HOME' ENTERED AT 11:21:36 ON 29 AUG 2008)

FILE 'CAPLUS' ENTERED AT 11:21:50 ON 29 AUG 2008  
 E US2007-597005/APPS  
 L1 1 SEA ABB=ON US2007-597005/AP  
 D SCAN  
 SEL RN

FILE 'REGISTRY' ENTERED AT 11:22:15 ON 29 AUG 2008  
 L2 57 SEA ABB=ON (1044037-41-3/BI OR 1044037-44-6/BI OR 1044037-45-7  
 /BI OR 1044037-46-8/BI OR 1044037-49-1/BI OR 1044037-52-6/BI  
 OR 1044037-53-7/BI OR 1044037-54-8/BI OR 1044037-57-1/BI OR  
 1044037-60-6/BI OR 1044037-61-7/BI OR 1044037-62-8/BI OR  
 1044037-65-1/BI OR 1044037-68-4/BI OR 1044037-69-5/BI OR  
 1044037-70-8/BI OR 1044037-73-1/BI OR 1044037-76-4/BI OR

1044037-77-5/BI OR 1044037-78-6/BI OR 1044037-81-1/BI OR  
 1044037-84-4/BI OR 1044037-85-5/BI OR 1044037-86-6/BI OR  
 1044037-89-9/BI OR 1044037-92-4/BI OR 1044037-93-5/BI OR  
 1044037-94-6/BI OR 1044037-98-0/BI OR 1044038-00-7/BI OR  
 1044038-01-8/BI OR 1044038-02-9/BI OR 1044038-07-4/BI OR  
 1044038-08-5/BI OR 1044038-09-6/BI OR 1044038-11-0/BI OR  
 1044038-13-2/BI OR 1044038-14-3/BI OR 178043-45-3/BI OR  
 3282-30-2/BI OR 70672-74-1/BI OR 860629-18-1/BI OR 860629-19-2/  
 BI OR 860629-20-5/BI OR 860629-21-6/BI OR 860629-22-7/BI OR  
 860629-23-8/BI OR 860629-24-9/BI OR 860629-25-0/BI OR 860629-26  
 -1/BI OR 860629-27-2/BI OR 860629-28-3/BI OR 860629-29-4/BI OR  
 860629-30-7/BI OR 860629-31-8/BI OR 860629-32-9/BI OR 860629-33  
 -0/BI)

L3 STR

L4 0 SEA SSS SAM L3

L5 STR L3

L6 4 SEA SSS SAM L5

D SCAN

FILE 'ZCAPLUS' ENTERED AT 11:59:50 ON 29 AUG 2008

L7 4 SEA ABB=ON L6

D SCAN TI

FILE 'REGISTRY' ENTERED AT 12:01:19 ON 29 AUG 2008

D QUE L5

L8 313299 SEA SSS FUL L5 EXTEND

L9 167 SEA SSS FUL L5

SAVE TEMP L9 JAI005FULL/A

L10 52 SEA ABB=ON L9 AND L2

FILE 'CAPLUS' ENTERED AT 12:02:41 ON 29 AUG 2008

8 SEA ABB=ON L9

L12 3986 SEA ABB=ON HALL R?/AU

L13 73 SEA ABB=ON TRAH S?/AU

L14 27 SEA ABB=ON ZAMBACH W?/AU

L15 24 SEA ABB=ON TULEJA J?/AU

L16 6 SEA ABB=ON (L1 OR L12 OR L13 OR L14 OR L15) AND L11

FILE 'LREGISTRY' ENTERED AT 12:03:58 ON 29 AUG 2008

L17 323 SEA ABB=ON TETRAZOL

D STR RSD 1-3

FILE 'REGISTRY' ENTERED AT 12:04:29 ON 29 AUG 2008

E 16.525/RID

L18 222624 SEA ABB=ON 16.525/RID

L19 24 SEA ABB=ON L9 AND L18

FILE 'CAPLUS' ENTERED AT 12:05:25 ON 29 AUG 2008

D QUE NOS L16

D IBIB ABS HITSTR L16 1-6

FILE 'REGISTRY' ENTERED AT 12:05:55 ON 29 AUG 2008

D STAT QUE L9

D QUE NOS L19

FILE 'CAPLUS' ENTERED AT 12:06:04 ON 29 AUG 2008

L20 3 SEA ABB=ON L19

L21 0 SEA ABB=ON L20 NOT L16

D SCAN TI L20

D QUE NOS L11

L22 2 SEA ABB=ON L11 NOT L16  
D IBIB ABS HITSTR L22 1-2

FILE 'HOME' ENTERED AT 12:06:58 ON 29 AUG 2008  
D STAT QUE L9

=>